

Safety Data Sheet

ACC 4400


Safety Data Sheet dated 27/11/2012, version 1
In compliance with Regulation (EC) 453/2010



SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier
Mixture identification:
Trade name: ACC 4400
Product type: Denaturated solvent
- 1.2. Relevant identified uses of the substance or mixture and uses advised against
Recommended use:
Washing and cleaning products (including solvent based products)
Uses advised against:
Not available
- 1.3. Details of the supplier of the safety data sheet
Supplier:
AirChem Consumables, LOB 10, Office # 10F14, JAFZA, Dubai, UAE
Tel: +971-4-881 8084, Fax: +971-4-881 6022, Email: airacc@acc.ae
Competent person responsible for the safety data sheet:
airacc@acc.ae
- 1.4. Emergency telephone number
AirChem Consumables, Tel: +971-4-881 8084, Fax: +971-4-881 6022, Email: airacc@acc.ae

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture
EC regulation criteria 1272/2008 (CLP)
 Danger, Asp. Tox. 1, May be fatal if swallowed and enters airways.
EUH066 Repeated exposure may cause skin dryness or cracking.
Properties / Symbols:
Xn Harmful
R Phrases:
R65 Harmful: may cause lung damage if swallowed.
R66 Repeated exposure may cause skin dryness or cracking.

Adverse physicochemical, human health and environmental effects:
The product may cause lung damage if swallowed.

- 2.2. Label elements
EC regulation criteria 1272/2008 (CLP)
Symbols:



- Danger
Hazard statements:
H304 May be fatal if swallowed and enters airways.
Precautionary statements:
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P331 Do NOT induce vomiting.
P405 Store locked up.
P501 Dispose of contents/container in accordance with applicable regulations.
Special Provisions:
EUH066 Repeated exposure may cause skin dryness or cracking.
Contents:
Aliphatic petroleum distillate with atypic denaturation
Special provisions according to Annex XVII of REACH and subsequent amendments:
None
2.3. Other hazards
vPvB Substances: None - PBT Substances: None
Other Hazards:
No other hazards

SECTION 3: Composition/information on ingredients

- 3.1. Substances
Substance identification:
Chemical characterization: ACC 4400
90% - 100% Aliphatic petroleum distillate with atypic denaturation
REACH No.: 01-2119457273-39, Index number: 649-327-00-6, CAS: 64742-48-9, EC: 918-481-9
Xn; R66-65

Safety Data Sheet

ACC 4400



3.10/1 Asp. Tox. 1 H304

Applicable Note P of Annex 1, the concentration of benzene <0.1% by weight

For the complete text of the hazard and risk phrases refer to paragraph 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

Give nothing to eat or drink.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

In case of fire, use carbon dioxide or foam.

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Safety Data Sheet

ACC 4400

Incompatible materials:
None in particular.
Instructions as regards storage premises:
Adequately ventilated premises.
7.3. Specific end use(s)
For more information see Technical data bulletin
None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters
Contained substances
Aliphatic petroleum distillate with atypic denaturation - CAS: 64742-48-9
Producer - LTE: 1200 mg/m³, 184 ppm - Behaviour: Binding
DNEL Exposure Limit Values
Not applicable
PNEC Exposure Limit Values
Not applicable
8.2. Exposure controls
Eye protection:
Not needed for normal use. Anyway, operate according good working practices.
Protection for skin:
Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.
Protection for hands:
Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.
Respiratory protection:
Use adequate protective respiratory equipment.
Thermal Hazards:
None
Environmental exposure controls:
None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties
Appearance and colour: Clear liquid
Odour: hydrocarbon
Odour threshold: n.av. mg/m³
pH: na
Melting point / freezing point: n.av. °C
Initial boiling point and boiling range: 180 - 220 °C
Solid/gas flammability: na
Upper/lower flammability or explosive limits: 7.0 - 0.6 % v/v
Vapour density (air=1): > 1
Flash point: 62 °C
Evaporation rate: 0.04
Vapour pressure: < 0.1 kPa
Relative density: 0.79 g/ml
Solubility in water: insoluble
Solubility in oil: n.av.
Partition coefficient (n-octanol/water): n.av.
Auto-ignition temperature: > 200 °C
Decomposition temperature: n.av. °C
Viscosity: 1.3 mPa.s
Explosive properties: none
Oxidizing properties: none
9.2. Other information
Miscibility: n.av.
Fat Solubility: n.av.
Conductivity: na
Substance Groups relevant properties: n.av.

SECTION 10: Stability and reactivity

10.1. Reactivity
Stable under normal conditions
10.2. Chemical stability
Stable under normal conditions
10.3. Possibility of hazardous reactions
It may catch fire on contact with oxidising mineral acids.
10.4. Conditions to avoid
Stable under normal conditions.
10.5. Incompatible materials
None in particular.
10.6. Hazardous decomposition products
None.

Safety Data Sheet

ACC 4400

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the substance:

Aliphatic petroleum distillate with atypic denaturation - CAS: 64742-48-9

a) acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat > 4951 mg/m³ - Duration: 4h - Source: OCSE 403

Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg - Source: OCSE 402

Test: LD50 - Route: Ingestion - Species: Rat > 5000 mg/kg - Source: OCSE 401

If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.V.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Based on the information available it is not expected that this product may cause any adverse environmental effect when use instructions and disposal recommendations are followed.

Adopt good working practices, so that the product is not released into the environment.

Aliphatic petroleum distillate with atypic denaturation - CAS: 64742-48-9

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 1000 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss

Endpoint: EC50 - Species: Daphnia = 1000 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae = 1000 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata

12.2. Persistence and degradability

Aliphatic petroleum distillate with atypic denaturation - CAS: 64742-48-9

Biodegradability: Rapidly degradable - Test: Not applicable - Duration: 28 days - %: 80 - Notes: Not applicable

Regulation (EC) No. 648/2004 on Detergents and amendments:

Not applicable

12.3. Bioaccumulative potential

Not applicable

12.4. Mobility in soil

Not applicable

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product and its residue:

Do not dispose in the canals of wastewater, waterways and soil.

The codes indicating the type of waste are considered based on the recommendations and scheduled use of this product. Different codes may be assigned based on the end user's use and the characteristics of the disposal.

Waste code CER/EWC (2000/532/CE), attributable to the product as:

07 06 04 * - other organic solvents, washing liquids and mother liquors

H5 Harmful

Any remaining product should be disposed of with the material.

Containers/contaminated packaging

Containers, even completely empty, must not be disposed in the environment. The packagings which can not be cleaned should be disposed of as the material.

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

Safety Data Sheet

ACC 4400

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

1999/13/EC (VOC directive)

Volatile Organic compounds - VOCs = 100.00 %

Volatile Organic compounds - VOCs = 790.00 g/l

Volatile CMR substances = 0.00 %

Halogenated VOCs which are assigned the risk phrase R40 = 0.00 %

Organic Carbon - C = 0.00

15.2. Chemical safety assessment

Not available

SECTION 16: Other information

Full text of phrases referred to in Section 3:

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

H304 May be fatal if swallowed and enters airways.

This safety data sheet has been completely updated in compliance to Regulation 453/2010/EU.

This document was prepared by a competent person who has received appropriate training.

This MSDS cancels and replaces any preceding release.

Where applicable, refer to the following regulatory provisions :

Council Directive 67/548/EEC (Classification, packaging and labelling of dangerous substances) and subsequent amendments; Regulation (EC) n°1272/2008; Regulation (EC) N. 790/2009 (annex VI), Regulation (EC) n. 1907/2006 (REACH).

Commission Directive 1999/45/EC (Classification, packaging and labelling of dangerous preparation) and subsequent amendments; Commission Directive n. 2006/8/CE.

Regulation (EC) nr 648/2004 and CE N. 907/2006 (Detergents).

Directive 2003/105/EC ('Activities linked to risks of serious accidents') and subsequent amendments.

Directive 91/271/EEC and 91/676/CEE (protection of waters) and subsequent amendments.

Directive 75/324/EEC (aerosols) and subsequent amendments. Directive 76/768/CEE (cosmetic products) and subsequent amendments.

Directive 76/769/EEC (restrictions on the marketing and use of certain dangerous substances and preparations) and subsequent amendments. Regulation (EC) N. 304/2003 and subsequent amendments. Directive 98/8/CE (placing of biocidal products on the market) and subsequent amendments.

Directives 91/156/CEE, 91/689/CEE, 94/62/CE (Disposal of waste) and subsequent amendments.

The European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), current edition.

regulations IATA/ICAO = Dangerous Goods Regulations by air, current edition.

RID = Regulations concerning the International Carriage of Dangerous Goods by Rail, current edition.

IMDG Code = International Maritime Dangerous Goods Code produced by the International Maritime Organization (IMO), current edition.

Main bibliographic sources:

The ISS National Inventory of Chemical Substances (INSC)

ESIS: European chemical Substances Information System and Environmental hazard classification.

Occupational exposure limit values (Commission Directives 2000/39/EC and 2006/15/CE)

ACGIH - TLV's for 2010

NIOSH - Registry of toxic effects of chemical substances (1983)

Material Safety Data Sheets of chemicals, REACH database

Material Safety Data Sheet and Technical Data of raw material as by Supplier

Abbreviations and acronyms:

TLV-TWA = Threshold Limit Value- time-weighted average, 8-hour workday, 40-hour workweek; TLV-STEL-15 min = Threshold Limit Values - Short Term Exposure Limit; TLV-C = Ceiling exposure limit; Notes: IBE= Biological Exposure Indices; SEN= sensitizer; Skin= Can be absorbed through the skin. Carcinogenicity categories: A1 / A2 = confirmed / suspected human carcinogen; A3 = Animal carcinogen; A4 / A5 = Not Classifiable/not suspected as a human carcinogen. ACGIH = American Conference on Governmental Industrial Hygienists. OEL =Occupational Exposure Limit. LTE =long term exposure, STE=short term exposure.

n.av.= Not Available, n.a. = not applicable; LD50=lethal dose (solids and liquids), LC50=lethal concentration (gases) that will kill 50% of the test animals; ADR= European Agreement concerning the International Carriage of Dangerous Goods by Road.

Regulations IATA/ICAO = Dangerous Goods Regulations by air, current edition.

RID = Regulations concerning the International Carriage of Dangerous Goods by Rail, current edition. IMDG Code = International Maritime Dangerous Goods Code produced by the International Maritime Organization (IMO), current edition.

PBT = Persistent, Bioaccumulative and Toxic substances. ; vPvB = very Persistent and very Bioaccumulative substances; CMR = Carcinogenic, mutagenic or reproduction toxic substances.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

Safety Data Sheet
ACC 4400