

150000093408

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name: Skydrol® 500B-4 Fire Resistant Hydraulic Fluid

Product No.: P3410100

Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Hydraulic fluid Uses advised against: None known.

Details of the supplier of the safety data sheet

Manufacturer / Supplier

Eastman Chemical Company 200 South Wilcox Drive Kingsport, TN 37660-5280 US +14232292000

Visit our website at www.EASTMAN.com or email emnmsds@eastman.com

Emergency telephone number:

For emergency health, safety, and environmental information, call 1-423-229-4511 or 1-423-229-2000.

For emergency transportation information, in the United States: call CHEMTREC at 800-424-9300 or call 423-229-2000.

SECTION 2: Hazards identification

Hazard Classification:

Health Hazards

Carcinogenicity Category 2

OSHA Specified Hazards: not applicable

Warning label items including precautionary statement:

Pictogram:



Signal Words: Warning

Hazard Statement(s): H351: Suspected of causing cancer.



Initiator: 0001 / PRD 150000093408

Precautionary Statement:

Prevention: P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and

understood.

P280: Wear protective gloves/protective clothing/eye protection/face

protection.

Response: P308+P313: IF exposed or concerned: Get medical advice/attention.

Storage: P405: Store locked up.

Disposal: P501: Dispose of contents/container to an appropriate treatment and

disposal facility in accordance with applicable laws and regulations, and

product characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None known.

SECTION 3: Composition/information on ingredients

Substances / Mixtures

General information:

Chemical name	Concentration	Additional identification	Notes
Dibutylphenylphosphate	40 - 70%	CAS-No.: 2528-36-1	#
tributyl phosphate	19 - 20%	CAS-No.: 126-73-8	#
Butyl diphenyl phosphate	10 - 30%	CAS-No.: 2752-95-6	
7-Oxabicyclo[4.1.0]heptane-3-carboxylic acid, 2-ethylhexyl ester	<10%	CAS-No.: 62256-00-2	
butylated hydroxytoluene	0.1 - <1%	CAS-No.: 128-37-0	#

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

General: Get medical attention if symptoms occur. Show this safety data sheet to the

doctor in attendance. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Place unconscious person on the side in the recovery position and ensure breathing can take place. Ensure that medical personnel are aware of the material(s) involved and take precautions to

protect themselves.

Description of first aid measures

Inhalation: In case of inhalation of spray mist: Move person into fresh air and keep at

rest. For breathing difficulties, oxygen may be necessary. Consult a physician for specific advice. Persons who have inhaled vapours or smoke fumes have to be put under medical observation for at least 48 hours, due

to the delayed appearance of poisoning.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Get medical attention if symptoms occur.

[#] This substance has workplace exposure limit(s).



> Initiator: 0001 / PRD 150000093408

Skin contact: Immediately flush with plenty of water for at least 15 minutes while

> removing contaminated clothing and shoes. If skin irritation or an allergic skin reaction develops, get medical attention. Wash contaminated clothing

before reuse. Destroy or thoroughly clean contaminated shoes.

Ingestion: If swallowed, rinse mouth with water (only if the person is conscious). Call a

> physician or poison control center immediately. Do not induce vomiting without advice from poison control center. Never give liquid to an unconscious person. Provide fresh air, warmth and rest, preferably in comfortable upright sitting position. Loosen tight clothing such as a collar, tie, belt or waistband. If vomiting occurs, keep head low so that stomach

content doesn't get into the lungs.

Most important symptoms and effects, both acute and

delayed:

Eye may become red, tear, and become painful. The product contains a small amount of sensitizing substance which may provoke an allergic reaction among sensitive individuals. Limited evidence of a carcinogenic

effect.

Indication of any immediate medical attention and special treatment needed

Hazards: No data available.

Treatment: Treat symptomatically.

SECTION 5: Firefighting measures

General Fire Hazards: Promptly isolate the scene by removing all persons from the vicinity of the

incident if there is a fire. Keep upwind. In case of fire and/or explosion do

not breathe fumes.

Extinguishing media

Suitable extinguishing

media:

Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing

media:

Avoid water in straight hose stream; will scatter and spread fire.

Special hazards arising from

the substance or mixture:

May ignite at high temperature. During fire, gases hazardous to health may be formed. Risk of chemical pneumonia after aspiration. Hazardous

Combustion Products: carbon dioxide, carbon monoxide, oxides of

phosphorus.

Advice for firefighters

Special fire fighting

procedures:

In case of fire: Evacuate area. Move container from fire area if it can be done without risk. Use water spray to keep fire-exposed containers cool. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply. Fire residues and contaminated fire extinguishing

water must be disposed of in accordance with local regulations.

Special protective

equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

SECTION 6: Accidental release measures



150000093408

Personal precautions, protective equipment and emergency procedures: No action shall be taken involving any personal risk or without suitable training. Keep unauthorized personnel away. Ventilate closed spaces before entering them. Avoid inhalation of vapors and spray mists. Wear appropriate personal protective equipment. Caution: Contaminated surfaces may be slippery. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Reference to other sections See Section 8 of the SDS for Personal Protective Equipment.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Clear up spills immediately and dispose of waste safely. Do not contaminate water sources or sewer.

Methods and material for containment and cleaning up:

Small Liquid Spills: Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Large Spillages: Dike for later disposal. Collect spillage in containers, seal securely and deliver for disposal according to local regulations. Otherwise, absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Prevent runoff from entering drains, sewers, or streams.

Notification Procedures:

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

SECTION 7: Handling and storage:

Precautions for safe handling:

Do not handle until all safety precautions have been read and understood. Handle product only in closed system or provide appropriate exhaust ventilation at machinery. An eye wash bottle must be available at the work site. Wear appropriate personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment. Do not taste or swallow. Do not breathe mist or vapor from heated material. In case of inadequate ventilation, use respiratory protection. Do not get in eyes and avoid contact with skin and clothing. Wash promptly with soap and water if skin becomes contaminated. Remove contaminated clothing and wash it before reuse. Destroy or thoroughly clean contaminated shoes. Drain or remove substance from equipment prior to break-in or maintenance. Handle in accordance with good industrial hygiene and safety practice. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry place out of direct sunlight. Keep container tightly closed and in a well-ventilated place. Keep upright. Keep in original container. Store locked up. Store away from incompatible materials. Keep away from food, drink and animal feeding stuffs. Store in accordance with local/regional/national/international regulations.

Specific end use(s): www.EastmanAviationSolutions.com



Initiator: 0001 / PRD 150000093408

SECTION 8: Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Country specific exposure limits have not been established or are not applicable unless listed below.

Chemical name	type	Exposure Limi	t Values	Source
Tributyl phosphate - Inhalable fraction and vapor.	TWA		5 mg/m3	US. ACGIH Threshold Limit Values (02 2013)
Tributyl phosphate	REL	0.2 ppm	2.5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL		5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	0.2 ppm	2.5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Dibutylphenylphosphate	TWA	0.3 ppm		US. ACGIH Threshold Limit Values (01 2010)
butylated hydroxytoluene, 2,-6-Di-tert-butyl-p-cresol - Inhalable fraction and vapor.	TWA		2 mg/m3	US. ACGIH Threshold Limit Values (01 2010)

Exposure controls

Appropriate engineering controls:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: An eye wash bottle must be available at the work site. Provide access to

washing facilities including soap, skin cleanser and fatty cream.

Eye/face protection: Safety eyewear complying with an approved standard should be used when

a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Recommendations: Wear safety glasses with side shields (or goggles). Use safety goggles and face shield in case of

splash risk.



Initiator: 0001 / PRD 150000093408

Skin protection
Hand Protection:

It is a good industrial hygiene practice to minimize skin contact. If prolonged or repeated contact is likely, chemical resistant gloves are recommended. If contact with forearms is likely, wear gauntlet style gloves. Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions. After contamination with product change the gloves immediately and dispose of them according to

relevant national and local regulations.

Other: Personal protective equipment for the body should be selected based on

the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommendations: Apron or other light protective clothing and boots. If prolonged or repeated contact is likely,

chemical resistant clothing is recommended. Promptly remove nonimpervious clothing that becomes wet or contaminated.

Respiratory Protection: If engineering controls do not maintain airborne concentrations below

recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Airpurifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and

safety professional or manufacturer for specific information.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice. Do

not eat, drink or smoke when using the product. Wash at the end of each work shift and before eating, smoking and using the toilet. Contaminated

work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Keep away from food, drink and animal

feeding stuffs.

Environmental Controls: Emissions from ventilation or work process equipment should be checked

to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering

modifications to the process equipment will be necessary to reduce emissions to acceptable levels. Do not contaminate water sources or

sewer.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state:liquidForm:liquid oilColor:purpleOdor:Odorless

Odor Threshold: No data available. PH: No data available.

Melting Point < -62 °C

Boiling Point: No data available.

Flash Point: > 177 °C



150000093408

Evaporation Rate:

Flammability (solid, gas):

Flammability Limit - Upper (%)—:

Flammability Limit - Lower (%)—:

Vapor pressure:

Vapor density (air=1):

No data available.

No data available.

No data available.

No data available.

Specific Gravity: 1.052 - 1.060 (25 °C)

Solubility(ies)

Solubility in Water:

Solubility (other):

No data available.

No data available.

Not available.

Autoignition Temperature:398 °C (ASTM D2155)Decomposition Temperature:No data available.Dynamic viscosity:No data available.

Kinematic viscosity: < 2,900 mm2/s (-54 °C) | 11.4 - 12.4 mm2/s (38 °C) | 3.68

- 4 mm2/s (99 °C)

Explosive properties: Not classified. **Oxidizing properties:** Not classified.

SECTION 10: Stability and reactivity

Reactivity: Material is stable under normal conditions.

Chemical Stability: Material is stable under normal conditions.

Possibility of Hazardous

Reactions:

None under normal conditions.

Conditions to Avoid: None known.

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition

Products:

Emits acrid smoke and fumes when heated to decomposition.

SECTION 11: Toxicological information

Information on likely routes of exposure Inhalation:

None known.

Ingestion: None known.

Skin contact: The product contains a small amount of sensitizing substance which may

provoke an allergic reaction among sensitive individuals in contact with

skin.

Eye contact: Eye may become red, tear, and become painful.



150000093408

Information on toxicological effects

Oral

Product: Oral LD-50: (Rat, Male and Female): 2,200 mg/kg (Measured) Target Organ(s): Liver

Not classified.

Dermal

Product: Dermal LD-50: (Rabbit, Male and Female): > 7,940 mg/kg (Measured)

Not classified.

Inhalation

Product: Dusts, mists and fumes: LC50 (Rat, Male and Female, 4 h): 4.5 mg/l (Measured) Not

classified. (highest concentration tested)

Repeated dose toxicity

Product: NOAEL (Rat(Male and Female), Inhalation - dust and mist): 100 mg/m3 (Target

Organ(s): Blood, Liver)

Skin Corrosion/Irritation

Product: Measured (Rabbit, 24 h): Slightly irritating.

Serious Eye Damage/Eye Irritation

Product: Measured (Rabbit, 24 h): Slightly irritating.

Respiratory or Skin Sensitization

Product: Skin Sensitization, Human Repeat Insult Patch Test (Human Repeat Insult Patch

Test): Not a skin sensitizer.

Carcinogenicity

Product: No data available.

Specified substance(s):

IARC Not Listed. NTP Not Listed. OSHA Not Listed. Dibutylphenylphosphate

Specified substance(s):

Rat, Male and Female: Ingestion; EPA OTS 798.3300Limited evidence of a Tributyl phosphate

carcinogenic effect.

IARC Not Listed. NTP Not Listed. OSHA Not Listed.

Specified substance(s):

IARC Not Listed, NTP Not Listed, OSHA Not Listed. Butyl diphenyl phosphate

Specified substance(s):

2-Ethylhexyl 7-

IARC Not Listed. NTP Not Listed. OSHA Not Listed. oxabicyclo[4.1.0]heptane-3-

carboxylate

Specified substance(s):

IARC Not Listed. NTP Not Listed. OSHA Not Listed. butvlated hydroxytoluene. 2,-6-Di-tert-butyl-p-cresol

Toxicity to reproduction

Product: No data available.

Specified substance(s):

(Rat, Male and Female); NOAEL: 5 mg/l; NOAEL: 50 mg/kg; NOAEL: 50 Dibutylphenylphosphate

mg/kg; Ingestion; EPA OTS 798.4900



Initiator: 0001 / PRD 150000093408

Specified substance(s):

Tributyl phosphate Two Generation Reproductive Toxicity Study (Rat, Male and Female);

NOAEL: 225 mg/kg; Ingestion; EPA OTS 798.4900

Developmental toxicity

Product: No data available.

Specified substance(s):

Dibutylphenylphosphate Rat; NOAEL: 300 mg/kg; NOAEL: 3 mg/kg; Gavage (Oral)

Specified substance(s):

Tributyl phosphate Rat; NOAEL: 750 mg/kg; Gavage (Oral); EPA OTS 798.4900

Germ Cell Mutagenicity

In vitro

Product: Salmonella typhimurium assay (Ames test) (Bacterial Reverse Mutation Assay):

negative

Mutagenicity - Mammalian (In vitro Mammalian Cell Gene Mutation Test): negative

In vivo

Product: No data available.

Specified substance(s):

Dibutylphenylphosphate

Chromosomal aberration intraperitoneal injection (Rat, Male and Female): negative

Specified substance(s):

Tributyl phosphate Chromosomal aberration (Mammalian Bone Marrow Chromosome Aberration Test)

oral: gavage (Rat, Male and Female): negative

Specified substance(s):

2-Ethylhexyl 7-

oxabicyclo[4.1.0]heptane-3-

carboxylate

Chromosomal aberration (Mammalian Bone Marrow Chromosome Aberration Test)

Intraperitoneal (Rat, Male and Female): equivocal

Specific Target Organ Toxicity - Single Exposure

Product: Inhalation: Not classified.

Specific Target Organ Toxicity - Repeated Exposure

Product: Inhalation: Blood, Liver - Not classified.

Aspiration Hazard

Product: not applicable

Other effects: No data available.

SECTION 12: Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: LC-50 (Rainbow Trout, 96 h): 2.6 mg/l

EC-50 (Fathead Minnow, 96 h): 3.0 mg/l



Initiator: 0001 / PRD 150000093408

Aquatic Invertebrates

Product: LC-50 (Daphnia magna, 48 h): 6.5 mg/l

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Dibutylphenylphosphate NOEC (Oncorhynchus mykiss, 60 d): > 0.11 mg/l

Tributyl phosphate NOEC (Oncorhynchus mykiss, 95 d): 0.82 mg/l

LOEC: 1.7 mg/l

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Dibutylphenylphosphate NOEC (Daphnia magna, 21 d): 0.106 mg/l

Tributyl phosphate NOEC (Daphnia magna, 21 d): 1.3 mg/l

Toxicity to Aquatic Plants

Product: EC-50 (Selenastrum capricornutum, 72 h): 7.8 mg/l

Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s):

Dibutylphenylphosphate Readily biodegradable, failing 10-d window

Not readily degradable.

Tributyl phosphate Readily biodegradable

2-Ethylhexyl 7-

oxabicyclo[4.1.0]heptane-3-

carboxylate

Readily biodegradable.

BOD/COD Ratio

Product: No data available.

Bioaccumulative Potential

Bioconcentration Factor (BCF)

Product: No data available.

Specified substance(s):

Dibutylphenylphosphate Common Carp, Bioconcentration Factor (BCF): 35 (OECD Guideline Test No. 305:

Bioaccumulation in Fish: Aqueous and Dietary Exposure)

Tributyl phosphate Common Carp, Bioconcentration Factor (BCF): 20 (OECD Guideline Test No. 305:

Bioaccumulation in Fish: Aqueous and Dietary Exposure)

Bioconcentration Factor (BCF): 35

Partition Coefficient n-octanol / water (log Kow)

Product: Log Kow: Not available.



Initiator: 0001 / PRD 150000093408

Mobility in Soil: No data available.

Known or predicted distribution to environmental compartments

Tributyl phosphate Log Koc: 3.344

Other Adverse Effects: No data available.

SECTION 13: Disposal considerations

Waste treatment methods

General information: The generation of waste should be avoided or minimized wherever

possible.

Disposal methods: This product meets the criteria for a synthetic used oil under the U.S. EPA

Standards for the Management of Used Oil (40 CFR 279). Those

standards govern recycling and disposal in lieu of 40 CFR 260 -272 of the Federal hazardous waste program in states that have adopted these used oil regulations. Consult your attorney or appropriate regulatory official to be sure these standards have been adopted in your state. Recycle or burn in accordance with the applicable standards. Do not discharge into drains,

water courses or onto the ground.

Since emptied containers retain product residue, follow label warnings even

after container is emptied. Empty containers should be taken to an

approved waste handling site for recycling or disposal.

SECTION 14: Transport information

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.

DOT

Class not regulated

IMDG - International Maritime Dangerous Goods Code

Class not regulated

IATA

Class not regulated

TDG

Class not regulated



Initiator: 0001 / PRD 150000093408

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture.:

SARA 311-312 Hazard Classification(s):

immediate (acute) health hazard delayed (chronic) health hazard

US EPCRA (SARA Title III) Section 313 - Toxic Chemical List

NONE

OSHA: hazardous

TSCA (US Toxic Substances Control Act): The intentional components of this product are listed on the TSCA inventory. Any impurities present in this product are exempt from listing.

DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act): All components of this product are listed on the DSL. Any impurities present in this product are exempt from listing.

AICS / NICNAS (Australian Inventory of Chemical Substances and National Industrial Chemicals Notification and Assessment Scheme): All components of this product are listed on AICS or otherwise comply with NICNAS.

MITI (Japanese Handbook of Existing and New Chemical Substances): All components of this product are listed in the Handbook or have been approved in Japan by new substance notification.

ECL (Korean Toxic Substances Control Act): One or more components of this product are not listed on the Korean inventory.

Philippines Inventory (PICCS): One or more components of this product are not listed on the Philippine inventory.

Inventory of Existing Chemical Substances in China: All intentional components of this product are listed on the Inventory of Existing Chemical Substances in China (IECSC).

SECTION 16: Other information

HMIS® **Hazard Ratings:** Health - 2*, Flammability - 1, Chemical Reactivity - 0

HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this MSDS must be considered.

Revision Information: Not relevant.

Key literature references and

sources for data:

www.EastmanAviationSolutions.com

Training information: No data available.

Issue Date: 07/07/2015

SDS No.:



Initiator: 0001 / PRD 150000093408

Disclaimer:

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.