



Safety Data Sheet

Page 1 of 13

LOCTITE 2701

SDS No. : 173107

V001.5

Revision: 03.05.2016

printing date: 26.06.2017

Section 1. Identification of the substance/preparation and of the company/undertaking

Product name: LOCTITE 2701

Other means of identification: LOCTITE 2701 BO 50ML EGFD

Product code: IDH135281

Recommended use of the chemical and restrictions on use

Intended use: Anaerobic Adhesive

Identification of manufacturer, importer or distributor

Importer: PT. Henkel Indonesien, TALAVERA Office Park , 21st Floor, Jl. T. B. Simatupang Kav.26, Jakarta 12430 - Indonesia Tel no. +62-27586900 Fax no. +62-21-75924625

E-mail address of person responsible for Safety Data Sheet: ap-ua-psra.sea@henkel.com

Emergency information: FOR EMERGENCIES ONLY (Spill, major leak, Fire, Exposure, or Accident). Call CHEMTREC: +1 703-741-5970

Section 2. Hazards identification

GHS Classification:

<u>Hazard Class</u>	<u>Hazard Category</u>	<u>Target organ</u>
Serious eye damage/eye irritation	Category 1	
Skin sensitizer	Category 1	
Specific target organ toxicity - single exposure	Category 3	respiratory tract irritation

GHS label elements:

Hazard pictogram:



Signal word:

Danger

Hazard statement: H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Precaution:

Prevention: P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 Wash hands thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response: P302+P352 IF ON SKIN: Wash with plenty of water.
P304+P340+P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P363 Wash contaminated clothing before reuse.

Storage: P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Disposal: P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Section 3. Composition / information on ingredients

Substance or Mixture:

Mixture

Declaration of hazardous chemical:

Hazard component CAS-No.	Content	GHS Classification
Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	30- 60 %	Serious eye damage/eye irritation 2A H319 Skin sensitizer 1 H317
3-[2-(Methacryloyloxy)ethoxycarbonyl]propionic acid 20882-04-6	1- 10 %	Skin corrosion/irritation 2 H315 Serious eye damage/eye irritation 1 H318 Skin sensitizer 1 H317
Cumene hydroperoxide 80-15-9	1- 10 %	Organic peroxides E H242 Acute toxicity 4; Oral H302 Acute toxicity 3; Inhalation H331 Acute toxicity 4; Dermal H312 Skin corrosion/irritation 1B H314 Specific target organ toxicity - repeated exposure 2 H373 Chronic hazards to the aquatic environment 2 H411
Methacrylic acid 79-41-4	0.1- 1 %	Acute toxicity 4; Oral H302 Acute toxicity 4; Inhalation H332 Acute toxicity 3; Dermal H311 Skin corrosion/irritation 1A H314
Acetic acid, 2-phenylhydrazide 114-83-0	0.1- 1 %	Acute toxicity 3; Oral H301 Skin corrosion/irritation 2 H315 Serious eye damage/eye irritation 2A H319 Skin sensitizer 1 H317 Carcinogenicity 2 H351 Specific target organ toxicity - single exposure 3 H335
Cumene 98-82-8	0.1- 1 %	Flammable liquids 3 H226 Specific target organ toxicity - single exposure 3 H335 Aspiration hazard 1 H304 Chronic hazards to the aquatic environment 2 H411
2-Hydroxyethyl methacrylate 868-77-9	0.1- 1 %	Skin corrosion/irritation 2 H315 Serious eye damage/eye irritation 2A H319 Skin sensitizer 1 H317

Section 4. First aid measures

Inhalation:	Move to fresh air. If symptoms persist, seek medical advice.
Skin contact:	Rinse with running water and soap. Obtain medical attention if irritation persists.
Eye contact:	Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.
Ingestion:	Rinse mouth, drink 1-2 glasses of water, do not induce vomiting, consult a doctor.
Indication of immediate medical attention and special treatment needed:	See section: Description of first aid measures

Section 5. Fire fighting measures

Suitable extinguishing media:	Carbon dioxide, foam, powder
Specific hazards arising from the chemical:	In the event of a fire, carbon monoxide (CO), carbon dioxide (CO ₂) and nitrogen oxides (NO _x) can be released.
Special protection equipment and precautions for firefighters:	Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

Section 6. Accidental release measures

Personal precautions:	Avoid skin and eye contact.
Environmental precautions:	Do not let product enter drains.
Clean-up methods:	For small spills wipe up with paper towel and place in container for disposal. For large spills absorb onto inert absorbent material and place in sealed container for disposal.

Section 7. Handling and storage

Handling:	Use only in well-ventilated areas. Avoid skin and eye contact. Prolonged or repeated skin contact should be avoided
Storage:	Store in original containers at 8-21°C (46.4-69.8°F) and do not return residual materials to containers as contamination may reduce the shelf life of the bulk product.

Section 8. Exposure controls / personal protection

Components with specific control parameters for workplace:

METHACRYLIC ACID 79-41-4	Value type	Time Weighted Average (TWA):
	ppm	20
	Remarks	ACGIH
Methacrylic acid 79-41-4	Value type	Time Weighted Average (TWA):
	ppm	20
	mg/m³	70
	Remarks	ID NAB
CUMENE 98-82-8	Value type	Time Weighted Average (TWA):
	ppm	50
	Remarks	ACGIH
Cumene 98-82-8	Value type	Time Weighted Average (TWA):
	ppm	50
	mg/m³	246
	Remarks	ID NAB
Cumene 98-82-8	Value type	Skin designation:
	Remarks	ID NAB Can be absorbed through the skin.

Respiratory protection:

Use only in well-ventilated areas.

An approved mask or respirator fitted with an organic vapour cartridge should be worn if the product is used in a poorly ventilated area

Filter type: A (EN 14387)

Hand protection:

Avoid skin-contact.

Chemical-resistant protective gloves (EN 374).

Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374):

nitrile rubber (NBR; >= 0.4 mm thickness)

Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374):

nitrile rubber (NBR; >= 0.4 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

Eye protection:

Wear protective glasses.

Protective eye equipment should conform to EN166.

Body protection:

Wear suitable protective clothing.

Protective clothing should conform to EN 14605 for liquid splashes or to EN 13982 for dusts.

Engineering controls:

Ensure good ventilation/extraction.

Hygienic measures:

Wash hands before work breaks and after finishing work. Do not eat, drink or smoke while working. Good industrial hygiene practices should be observed.

Section 9. Physical and chemical properties

Appearance:	green liquid
Odor:	mild
Odor threshold (CA):	No data available.
pH:	No data available.
Melting point / freezing point:	No data available.
Specific gravity:	1.1
Boiling point:	> 149.0 °C (> 300.2 °F)
Flash point:	> 93.00 °C (> 199.4 °F)
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Lower explosive limit:	No data available.
Upper explosive limit:	No data available.
Vapor pressure:	0.3000000 mbar (; 20.0 °C (68 °F))
Vapor density:	No data available.
Density:	1.1 g/cm ³
Solubility:	No data available.
Partition coefficient: n-octanol/water:	No data available.
Auto ignition:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.
VOC content:	< 3 % (2010/75/EC)

Section 10. Stability and reactivity

Reactivity/Incompatible materials:	Reacts with strong oxidants.
Chemical stability:	Stable under recommended storage conditions.
Conditions to avoid:	No decomposition if used according to specifications.
Hazardous decomposition products:	carbon oxides.

Section 11. Toxicological information

Oral toxicity:	Acute toxicity estimate (ATE) : > 2,000 mg/kg Method: Calculation method
Inhalative toxicity:	Acute toxicity estimate (ATE) : > 20 mg/l Exposure time: 4 h Test atmosphere: Vapor. Method: Calculation method
Dermal toxicity:	Acute toxicity estimate (ATE) : > 2,000 mg/kg Method: Calculation method

Symptoms of Overexposure: EYE: Irritation, conjunctivitis.
RESPIRATORY: Irritation, coughing, shortness of breath, chest tightness.
SKIN: Rash, Urticaria.

Acute oral toxicity:

Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Value type	LD50
	Value	> 2,000 mg/kg
	Species	rat
	Method	OECD Guideline 401 (Acute Oral Toxicity)
3-[2-(Methacryloyloxy)ethoxycarbonyl] propionic acid 20882-04-6	Value type	LD50
	Value	> 2,000 mg/kg
	Species	rat
	Method	OECD Guideline 423 (Acute Oral toxicity)
Cumene hydroperoxide 80-15-9	Value type	LD50
	Value	550 mg/kg
	Species	rat
	Method	
Methacrylic acid 79-41-4	Value type	LD50
	Value	1,320 mg/kg
	Species	rat
	Method	OECD Guideline 401 (Acute Oral Toxicity)
Cumene 98-82-8	Value type	LD50
	Value	2,910 mg/kg
	Species	rat
	Method	

Acute inhalative toxicity:

Methacrylic acid 79-41-4	Value type	LC50
	Value	> 3.6 mg/l
	Exposure time	4 h
	Species	rat
	Method	OECD Guideline 403 (Acute Inhalation Toxicity)

Acute dermal toxicity:

Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Value type	LD50
	Value	> 5,000 mg/kg
	Species	rabbit
	Method	
Cumene hydroperoxide 80-15-9	Value type	LD50
	Value	1,200 - 1,520 mg/kg
	Species	
	Method	
Methacrylic acid 79-41-4	Value type	Acute toxicity estimate (ATE)
	Value	500 mg/kg
	Species	
	Method	Expert judgement
Methacrylic acid 79-41-4	Value type	LD50
	Value	500 - 1,000 mg/kg
	Species	rabbit
	Method	Dermal Toxicity Screening
Cumene 98-82-8	Value type	LD50
	Value	12,300 mg/kg
	Species	rabbit
	Method	
2-Hydroxyethyl methacrylate 868-77-9	Value type	LD50
	Value	> 3,000 mg/kg
	Species	rabbit
	Method	

Skin corrosion/irritation:

3-[2-(Methacryloyloxy)ethoxycarbonyl]propionic acid 20882-04-6	Result	not irritating
	Exposure time	0.25 h
	Species	Human, EPISKIIN™ Reconstituted Human Epidermis model
	Method	OECD 439 (In Vitro Skin Irritation: Reconstructed Human Epidermis (RHE) Test Method)
3-[2-(Methacryloyloxy)ethoxycarbonyl]propionic acid 20882-04-6	Result	Not Classified
	Exposure time	4 h
	Species	Human, EPISKIIN™ Reconstituted Human Epidermis model
	Method	OECD 431 (In Vitro Skin Corrosion: Reconstructed Human Epidermis (RHE) Test Method)
Cumene hydroperoxide 80-15-9	Result	corrosive
	Exposure time	
	Species	rabbit
	Method	Draize Test
Methacrylic acid 79-41-4	Result	Category 1A (corrosive)
	Exposure time	4 h
	Species	rabbit
	Method	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Serious eye damage/irritation:

Methacrylic acid 79-41-4	Result	Category I
	Exposure time	
	Species	rabbit
	Method	Draize Test

Respiratory or skin sensitization:

Methacrylic acid 79-41-4	Result	not sensitising
	Test type	Buehler test
	Species	guinea pig
	Method	OECD Guideline 406 (Skin Sensitisation)

Germ cell mutagenicity:

3-[2-(Methacryloyloxy)ethoxycarbonyl]propionic acid 20882-04-6	Result	negative
	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Cumene hydroperoxide 80-15-9	Result	positive
	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	without
	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Cumene hydroperoxide 80-15-9	Result	negative
	Type of study / Route of administration	dermal
	Metabolic activation / Exposure time	
	Species	mouse
	Method	
Methacrylic acid 79-41-4	Result	negative
	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Methacrylic acid 79-41-4	Result	negative
	Type of study / Route of administration	inhalation
	Metabolic activation / Exposure time	
	Species	mouse
	Method	OECD Guideline 478 (Genetic Toxicology: Rodent Dominant Lethal Test)
2-Hydroxyethyl methacrylate 868-77-9	Result	negative
	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
2-Hydroxyethyl methacrylate 868-77-9	Result	positive
	Type of study / Route of administration	in vitro mammalian chromosome aberration test
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Repeated dose toxicity:

Cumene hydroperoxide 80-15-9	Result	
	Route of application	inhalation: aerosol
	Exposure time / Frequency of treatment	6 h/d5 d/w
	Species	rat
	Method	

Section 12. Ecological information**Ecotoxicity:**

Do not empty into drains / surface water / ground water.

Toxicity:

Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Value type	LC50
	Value	493 mg/l
	Acute Toxicity Study	Fish
	Exposure time	48 h
	Species	Leuciscus idus melanotus
	Method	DIN 38412-15
Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Value type	EC50
	Value	> 130 mg/l
	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
	Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Value type	EC10
	Value	1,140 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	16 h
	Species	
	Method	
3-[2-(Methacryloyloxy)ethoxycarbonyl]	Value type	EC50
	Value	> 515.4 mg/l

propionic acid 20882-04-6	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
	Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
3-[2-(Methacryloyloxy)ethoxycarbonyl]propionic acid 20882-04-6	Value type	EC50
	Value	> 312 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Pseudokirchnerella subcapitata
Cumene hydroperoxide 80-15-9	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
	Value type	LC50
	Value	3.9 mg/l
	Acute Toxicity Study	Fish
	Exposure time	96 h
Cumene hydroperoxide 80-15-9	Species	Oncorhynchus mykiss
	Method	OECD Guideline 203 (Fish, Acute Toxicity Test)
	Value type	EC50
	Value	18 mg/l
	Acute Toxicity Study	Daphnia
Cumene hydroperoxide 80-15-9	Exposure time	48 h
	Species	Daphnia magna
	Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
	Value type	ErC50
	Value	3.1 mg/l
Cumene hydroperoxide 80-15-9	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Pseudokirchnerella subcapitata
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
	Value type	EC10
Cumene hydroperoxide 80-15-9	Value	70 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	30 min
	Species	
	Method	
Methacrylic acid 79-41-4	Value type	LC50
	Value	85 mg/l
	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	Salmo gairdneri (new name: Oncorhynchus mykiss)
Methacrylic acid 79-41-4	Method	EPA OTS 797.1400 (Fish Acute Toxicity Test)
	Value type	EC50
	Value	> 130 mg/l
	Acute Toxicity Study	Daphnia
	Exposure time	48 h
Methacrylic acid 79-41-4	Species	Daphnia magna
	Method	EPA OTS 797.1300 (Aquatic Invertebrate Acute Toxicity Test, Freshwater Daphnids)
	Value type	NOEC
	Value	8.2 mg/l
	Acute Toxicity Study	Algae
Methacrylic acid 79-41-4	Exposure time	72 h
	Species	Selenastrum capricornutum (new name: Pseudokirchnerella subcapitata)
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
	Value type	EC50
	Value	45 mg/l
Methacrylic acid 79-41-4	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Selenastrum capricornutum (new name: Pseudokirchnerella subcapitata)
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
	Value type	EC10
Methacrylic acid 79-41-4	Value	100 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	17 h
	Species	
	Method	
Cumene 98-82-8	Value type	LC50
	Value	4.8 mg/l
	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	Oncorhynchus mykiss
	Method	OECD Guideline 203 (Fish, Acute Toxicity Test)

Cumene 98-82-8	Value type	EC50
	Value	4 mg/l
	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
Method		OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Cumene 98-82-8	Value type	EC50
	Value	2.6 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Selenastrum capricornutum (new name: Pseudokirchnerella subcapitata)
Method		OECD Guideline 201 (Alga, Growth Inhibition Test)
Cumene 98-82-8	Value type	EC10
	Value	211 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	24 h
	Species	
Method		DIN 38412, part 8 (Pseudomonas Zellvermehrungshemm-Test)
2-Hydroxyethyl methacrylate 868-77-9	Value type	LC50
	Value	227 mg/l
	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	Pimephales promelas
Method		OECD Guideline 203 (Fish, Acute Toxicity Test)
2-Hydroxyethyl methacrylate 868-77-9	Value type	EC50
	Value	380 mg/l
	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
Method		OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
2-Hydroxyethyl methacrylate 868-77-9	Value type	EC50
	Value	345 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Selenastrum capricornutum (new name: Pseudokirchnerella subcapitata)
Method		OECD Guideline 201 (Alga, Growth Inhibition Test)
	Value type	NOEC
	Value	160 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Selenastrum capricornutum (new name: Pseudokirchnerella subcapitata)
Method		OECD Guideline 201 (Alga, Growth Inhibition Test)
2-Hydroxyethyl methacrylate 868-77-9	Value type	EC0
	Value	> 3,000 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	16 h
	Species	
Method		

Persistence and degradability:

Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Result	readily biodegradable
	Route of application	aerobic
	Degradability	94.2 %
	Method	OECD Guideline 301 E (Ready biodegradability: Modified OECD Screening Test)
3-[2-(Methacryloyloxy)ethoxycarbon yl]propionic acid 20882-04-6	Result	readily biodegradable, but failing 10-day window
	Route of application	aerobic
	Degradability	80 %
	Method	OECD Guideline 301 F (Ready Biodegradability: Manometric Respirometry Test)
Cumene hydroperoxide 80-15-9	Result	
	Route of application	no data
	Degradability	0 %
	Method	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
Methacrylic acid 79-41-4	Result	inherently biodegradable
	Route of application	aerobic
	Degradability	100 %
	Method	OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test)

	Result	readily biodegradable
	Route of application	aerobic
	Degradability	86 %
	Method	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
Cumene 98-82-8	Result	
	Route of application	aerobic
	Degradability	86 %
	Method	ISO 10708 (BODIS-Test)
2-Hydroxyethyl methacrylate 868-77-9	Result	readily biodegradable
	Route of application	aerobic
	Degradability	92 - 100 %
	Method	OECD Guideline 301 C (Ready Biodegradability: Modified MITI Test (I))

Bioaccumulative potential / Mobility in soil:

Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	LogKow	0.97
	Temperature	
	Method	
3-[2-(Methacryloyloxy)ethoxycarbon yl]propionic acid 20882-04-6	LogKow	0.783
	Temperature	23 °C
	Method	EU Method A.8 (Partition Coefficient)
Cumene hydroperoxide 80-15-9	Bioconcentration factor (BCF)	9.1
	Exposure time	
	Species	calculation
	Temperature	
	Method	OECD Guideline 305 (Bioconcentration: Flow-through Fish Test)
Cumene hydroperoxide 80-15-9	LogKow	2.16
	Temperature	
	Method	
Methacrylic acid 79-41-4	LogKow	0.93
	Temperature	22 °C
	Method	OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method)
Acetic acid, 2-phenylhydrazide 114-83-0	LogKow	0.74
	Temperature	
	Method	
Cumene 98-82-8	Bioconcentration factor (BCF)	35.5
	Exposure time	
	Species	Carassius auratus
	Temperature	
	Method	OECD Guideline 305 (Bioconcentration: Flow-through Fish Test)
Cumene 98-82-8	LogKow	3.55
	Temperature	23 °C
	Method	OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method)

Section 13. Disposal considerations**Product**

Method of disposal: Dispose of in accordance with local and national regulations.

Packaging

Disposal of uncleaned packages: After use, tubes, cartons and bottles containing residual product should be disposed of as chemically contaminated waste in an authorised legal land fill site or incinerated. Disposal must be made according to official regulations.

Section 14. Transport information

General information:

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

Section 15. Regulatory information

Regulatory Information: Decree of Minister of Industry No. 23/M-IND/PER/4/2013 concerning the Revision of Decree of Minister of Industry No.87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals
Decree of Minister of Industry No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals

Global inventory status:

Regulatory list	Notification
TSCA	yes
AICS	yes
NDSL	yes
ENCS (JP)	yes

Section 16. Other information

Disclaimer:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.