

Version 1.2 Revision Date 12/29/2015 Print Date 12/29/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ARDROX® AV 8 AEROSOL

Substance number : REL_10465A

Chemical usage : Cleaning Compound, Corrosion inhibitor

Manufacturer or supplier's details

Company : Chemetall US, Inc.

Address : 675 Central Avenue

New Providence NJ 07974

Telephone : (800) 526-4473 Telefax : (908) 464-4658

Emergency telephone no : CHEMTREC - 800-424-9300, 1-703-527-3887 (International)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a compressed gas
Colour	light brown
Odour	solvent-like
Hazard Summary	Flammable/Combustible! Harmful by inhalation and if swallowed. Causes irritation of eyes and skin. drying, irritation and dermatitis. Contents under pressure.

GHS Classification

Flammable aerosols : Category 2

Gases under pressure : Compressed gas

Eye irritation : Category 2B

GHS Label element

Hazard pictograms





Signal word : Warning

Hazard statements : Flammable aerosol.



Version 1.2 Revision Date 12/29/2015 Print Date 12/29/2015

Contains gas under pressure; may explode if heated.

Causes eye irritation.

Precautionary statements : **Prevention:**

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

Wash skin thoroughly after handling.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing

If eye irritation persists: Get medical advice/ attention.

Storage:

Protect from sunlight. Do not expose to temperatures

exceeding 50 °C/ 122 °F.

Potential Health Effects

Inhalation : yes

Skin : yes

Ingestion : yes

Aggravated Medical

Condition

: None known.

Carcinogenicity:

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

ACGIH Confirmed animal carcinogen with unknown relevance to

humans

Aliphatic mineral spirits 64742-88-7

Cyclohexanone 108-94-1

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

Hazardous components



Version 1.2 Revision Date 12/29/2015 Print Date 12/29/2015

Component	CAS-No.	Weight percent
1,1,1,2-Tetraflouroethane	811-97-2	30 - 50
Hydrotreated heavy naptha	64742-48-9	30 - 50
Aliphatic mineral spirits	64742-88-7	1 - 5

Unidentified ingredients are considered not hazardous under Federal Hazard Communication Standard (29CFR 1910.1200).

Specific chemical identity of composition has been withheld as a trade secret.

Exact percentage of composition has been withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

If inhaled : Remove to fresh air.

If symptoms persist, call a physician.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact : Wash off immediately with plenty of water for at least 15

minutes.

Get medical attention if irritation develops and persists

In case of eye contact : Rinse immediately with plenty of water for at least 15 minutes.

Keep eye wide open while rinsing.

Seek medical advice.

If swallowed : Rinse mouth.

Drink plenty of water.

Obtain medical attention.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Foam

Carbon dioxide (CO2)

Dry chemical

Further information : Closed containers may explode when exposed to heat.

Use water spray to cool unopened containers.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Ensure adequate ventilation.

Remove all sources of ignition.

Methods and materials for containment and cleaning up

: Ventilate area.

Remove all heat and ignition sources. Clean up with inert absorbant material.

Keep in suitable, closed containers for disposal.



Version 1.2 Revision Date 12/29/2015 Print Date 12/29/2015

Flush with plenty of water.

Additional advice : Never return spills in original containers for re-use.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Use only with adequate ventilation.

Aviod breathing vapors, mist or gas.

Conditions for safe storage : Keep containers dry and tightly closed to avoid moisture

absorption and contamination.

Store indoors in a cool, well-ventilated place

Keep away from open flames, hot surfaces and sources of

ignition.

Keep container out of sun and away from heat.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1,1,1,2-Tetraflouroethane	811-97-2	TWA	1,000 ppm	US WEEL
Hydrotreated heavy naptha	64742-48-9	TWA	500 ppm 2,000.000000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600.000000 mg/m3	OSHA P0
Aliphatic mineral spirits	64742-88-7	TWA	500 ppm 2,000.000000 mg/m3	OSHA Z-1
		TWA	200.000000 mg/m3 (as total hydrocarbon vapor)	ACGIH
		TWA	400 ppm 1,600.000000 mg/m3	OSHA P0
Cyclohexanone	108-94-1	TWA	20 ppm	ACGIH
		STEL	50 ppm	ACGIH
		TWA	25 ppm 100.000000 mg/m3	NIOSH REL
		TWA	50 ppm 200.000000 mg/m3	OSHA Z-1
		TWA	25 ppm 100.000000	OSHA P0



Version 1.2 Revision Date 12/29/2015 Print Date 12/29/2015

mg/m3

Personal protective equipment

Respiratory protection : If occupational exposure limits are exceeded, proper control

and protection measures should be implemented.

Hand protection

Remarks : Impervious gloves

Eye protection : Safety glasses with side-shields

Skin and body protection : Rubber or plastic apron

Hygiene measures : Avoid contact with skin, eyes and clothing.

Wear suitable gloves and eye/face protection.

Wear suitable protective clothing.

Wash hands before breaks and immediately after handling the

product.

Provide adequate ventilation.

Do not inhale fumes.

Keep away from food and drink.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aerosol containing a compressed gas

Colour : light brown
Odour : solvent-like

pH : no data available
Freezing point : no data available
Boiling point/boiling range : not applicable

Flash point : 41 °C

Evaporation rate : GLP: No information available.

Upper explosion limit : 7.00 %(V)

Lower explosion limit : 0.60 %(V)

Relative density : 0.89

Bulk density : 7.41 lb/gal

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

: no data available

Auto-ignition temperature : > 200 °C

Thermal decomposition : No data available



Version 1.2 Revision Date 12/29/2015 Print Date 12/29/2015

Viscosity, dynamic : No data available

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous

reactions

Conditions to avoid : Heat, flames and sparks.

Exposure to sunlight.

: Vapours may form explosive mixture with air.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

: Carbon monoxide Carbon dioxide (CO2)

Fluorocarbons Sulphur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:

1,1,1,2-Tetraflouroethane:

Acute inhalation toxicity : LC50 rat: 1500 g/m3 Exposure time: 4 h

Hydrotreated heavy naptha:

Acute oral toxicity : LD50 rat: > 10,000.000000 mg/kg

Acute dermal toxicity : LD50 rat: > 3,160.000000 mg/kg

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

Components:

Hydrotreated heavy naptha:

Result: Mild eye irritation

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity



Version 1.2 Revision Date 12/29/2015 Print Date 12/29/2015

no data available

Reproductive toxicity

no data available

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Bioaccumulative potential

Product:

Partition coefficient: n- : Remarks: no data available

octanol/water

Components:

1,1,1,2-Tetraflouroethane :

Partition coefficient: n- : log Pow: 1.06 (25 °C)

octanol/water Method: OECD Test Guideline 107

Other adverse effects

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Refer to all federal, provincial, state and local regulation prior

to disposition of container and unused contents by reuse,

recycle or disposal.

SECTION 14. TRANSPORT INFORMATION

International regulation

UN1950, Aerosol, Flammable, 2.1, "LTD QTY"

National Regulations

UN1950, Aerosol, Flammable, 2.1, "LTD QTY"



Version 1.2 Revision Date 12/29/2015 Print Date 12/29/2015

SECTION 15. REGULATORY INFORMATION

TSCA Status : All components of this material comply with US TSCA

requirements.

OSHA Hazards : Compressed Gas, Mild eye irritant

WHMIS Classification : D2B: Toxic Material Causing Other Toxic Effects

EPCRA - Emergency Planning and Community Right-to-Know Act

Cyclohexanone | 108-94-1 | 5,000 |

SARA 311/312 Hazards : Sudden Release of Pressure Hazard

SARA 302 : SARA 302: No chemicals in this material are subject to the

reporting requirements of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313: Organic acid and barium 25619-56

soap

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to

Know Act.

Pennsylvania Right To Know

1,1,1,2-Tetraflouroethane	811-97-2
Hydrotreated heavy naptha	64742-48-9
Naphtha (petroleum) light steam-cracked	68131-99-7
Organic acid and barium soap	25619-56-1
Lanolin	8006-54-0
Aliphatic mineral spirits	64742-88-7
Cyclohexanone	108-94-1

New Jersey Right To Know

811-97-2
64742-48-9
68131-99-7
25619-56-1
57855-77-3



Version 1.2 Revision Date 12/29/2015 Print Date 12/29/2015

NFPA: Flammability 1 1 Instability

Special hazard.

HMIS III:

HEALTH	1
FLAMMABILITY	3
PHYSICAL HAZARD	1

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Safety Glasses, Gloves, Apron

SECTION 16. OTHER INFORMATION

Further information

Version 1.2

Revision Date 12/29/2015

Chemetall US, Inc. warrants that the products described herein will conform with its published specifications.

The products supplied by Chemetall and information related to them are intended for use by buyers having necessary industrial skill and knowledge. Buyers should undertake sufficient verification and testing to determine the suitability of the Chemetall materials for their own particular purpose. Since buyer's conditions of use of products are beyond Chemetall's control, Chemetall does not warrant any recommendations and information for the use of such products. CHEMETALL DISCLAIMS ALL OTHER WARRANTIES INCLUDING THE IMPLIED WARRANTY OF MERCHANTABILITY AND FITNESS FOR ANY PARTICULAR PURPOSE IN CONNECTION WITH THE USE OF ITS PRODUCTS.