

# Safety Data Sheet

## ACC 1140



Safety Data Sheet dated 29/2/2016, version 2  
In compliance with Regulation (EC) 453/2010

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Mixture identification:  
Trade name: ACC 1140  
Product type: Paint stripper

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:  
Coatings and paints, thinners, paint removers  
Uses advised against:  
Not available

#### 1.3. Details of the supplier of the safety data sheet

Supplier:  
AirChem Consumables, LOB 10, Office # 10F14, JAFZA, Dubai, UAE- Tel: +971-4-881 8084, Fax: +971-4-881 6022,  
Email: airacc@acc.ae  
Competent person responsible for the safety data sheet:  
airacc@acc.ae

#### 1.4. Emergency telephone number





AirChem Consumables, Tel: +971-4-881 8084, Fax: +971-4-881 6022, Email: airacc@acc.ae (from Sunday to Thursday  
from 09 AM to 6 PM; Saturdays 09 AM to 2:30 PM)

A list of Poison Control Centers is available at the following link:  
[http://www.who.int/gho/phe/chemical\\_safety/poisons\\_centres/en/](http://www.who.int/gho/phe/chemical_safety/poisons_centres/en/)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

-  Warning, Acute Tox. 4, Harmful if swallowed.
-  Warning, Acute Tox. 4, Harmful if inhaled.
-  Warning, Eye Irrit. 2, Causes serious eye irritation.
-  Warning, Skin Sens. 1, May cause an allergic skin reaction.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

#### Adverse physicochemical, human health and environmental effects:

The product is harmful following acute exposure to it and poses a serious health threat if inhaled or ingested.  
If brought into contact with the eyes, the product causes irritation that may last for over 24 hours, and if brought into contact with the skin it causes significant inflammation with erythema, scabs, and oedema.  
If brought into contact with the skin, the product may cause sensitisation of the skin.  
Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### 2.2. Label elements

EC regulation criteria 1272/2008 (CLP)

Symbols:



Warning

Hazard statements:

H302+H332 Harmful if swallowed or if inhaled.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P273 Avoid release to the environment.  
P280 Wear protective gloves and eye protection.  
P312 Call a POISON CENTER or physician if you feel unwell.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

None

# Safety Data Sheet

## ACC 1140

### Contents:

Benzyl alcohol  
Hydrogen peroxide  
Limonene  
2-methylbut-3-yn-2-ol

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

### 2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

60 - 70% Benzyl alcohol

REACH N°: 01-2119492630-38-XXX, Index number: 603-057-00-5, CAS: 100-51-6, EC: 202-859-9



3.1/4/Oral Acute Tox. 4 H302



3.3/2 Eye Irrit. 2 H319



3.1/4/Inhal Acute Tox. 4 H332

1.0 - 7.0% Hydrogen peroxide

REACH N°: 01-2119485845-22-XXXX, Index number: 008-003-00-9, CAS: 7722-84-1, EC: 231-765-0



2.13/1 Ox. Liq. 1 H271



3.2/1A Skin Corr. 1A H314



3.1/4/Oral Acute Tox. 4 H302



3.1/4/Inhal Acute Tox. 4 H332

1.0 - 5.0% 1,4-Bis(2-hydroxyethoxy)-2-butyne

CAS: 1606-85-5, EC: 216-526-0



3.10/1 Asp. Tox. 1 H304

1.0 - 5.0% Limonene

Index number: 601-029-00-7, CAS: 5989-27-5, EC: 227-813-5



2.6/3 Flam. Liq. 3 H226



3.10/1 Asp. Tox. 1 H304



3.2/2 Skin Irrit. 2 H315



3.4.2/1-1A-1B Skin Sens. 1,1A,1B H317



4.1/A1 Aquatic Acute 1 H400



4.1/C1 Aquatic Chronic 1 H410

1.0 - 5.0% 2-methylbut-3-yn-2-ol

CAS: 107-54-0, EC: 203-500-9



2.6/3 Flam. Liq. 3 H226



3.1/4/Dermal Acute Tox. 4 H312



3.1/4/Oral Acute Tox. 4 H302



3.3/2 Eye Irrit. 2 H319




3.2/2 Skin Irrit. 2 H315

1.0 - 5.0% Sodium nitrate

REACH N°: 01-2119488221-41-XXXX, CAS: 7631-99-4, EC: 231-554-3


# Safety Data Sheet


## ACC 1140


 2.13/2 Ox. Liq. 2 H272

 3.3/2 Eye Irrit. 2 H319

0.1 - 1.0% 1-(2-hydroxyethyl)-2-alkyl-2-imidazoline  
CAS: 61791-39-7, EC: 263-171-2


 3.1/4/Oral Acute Tox. 4 H302

 3.2/1B Skin Corr. 1B H314


 4.1/C1 Aquatic Chronic 1 H410

0.1 - 1.0% Aromatic hydrocarbon

REACH N°: 01-2119463588-24-XXXX, Index number: 649-424-00-3, CAS: 64742-94-5, EC: 265-198-5

 3.10/1 Asp. Tox. 1 H304


 3.8/3 STOT SE 3 H336


 4.1/C2 Aquatic Chronic 2 H411


EUH066

<0.1% Naphthalene

REACH N°: 01-2119561346-37, Index number: 601-052-00-2, CAS: 91-20-3, EC: 202-049-5

 3.6/2 Carc. 2 H351

 4.1/A1 Aquatic Acute 1 H400

 4.1/C1 Aquatic Chronic 1 H410

 3.1/4/Oral Acute Tox. 4 H302

Declaration of ingredients according to Detergent Regulation 648/2004:

aliphatic hydrocarbons, aromatic hydrocarbons

< 5 %

The product also contains:

Perfumes

Allergens:

Limonene

For the complete text of the hazard and risk phrases refer to paragraph 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

Give nothing to eat or drink.

In case of Inhalation:

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

#### 4.2. Most important symptoms and effects, both acute and delayed

None

#### 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media:

Water.

# Safety Data Sheet

## ACC 1140

Carbon dioxide (CO<sub>2</sub>).  
Extinguishing media which must not be used for safety reasons:  
None in particular.

5.2. Special hazards arising from the substance or mixture  
Do not inhale explosion and combustion gases.  
Burning produces heavy smoke.

5.3. Advice for firefighters  
Use suitable breathing apparatus .  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Move undamaged containers from immediate hazard area if it can be done safely.

### SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.  
Remove all sources of ignition.  
Wear breathing apparatus if exposed to vapours/dusts/aerosols.  
Provide adequate ventilation.  
Use appropriate respiratory protection.  
See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.  
Retain contaminated washing water and dispose it.  
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.  
Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

### SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.  
Use localized ventilation system.  
Don't use empty container before they have been cleaned.  
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.  
Contaminated clothing should be changed before entering eating areas.  
Do not eat or drink while working.  
See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.  
Incompatible materials:  
None in particular.  
Instructions as regards storage premises:  
Adequately ventilated premises.

7.3. Specific end use(s)

For more information see Technical data bulletin  
None in particular

### SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Contained substances

Benzyl alcohol - CAS: 100-51-6

OEL - LTE mg/m<sup>3</sup>(8h): 10 - Behaviour: Binding

Hydrogen peroxide - CAS: 7722-84-1

OEL - LTE mg/m<sup>3</sup>(8h): 1.39 - LTE ppm: 1 - Behaviour: Binding - Notes: A3 - Critical effects: Respiratory, eye and skin irritation

ACGIH - LTE mg/m<sup>3</sup>(8h): 1.4 - LTE ppm: 1 - Behaviour: Binding - Notes: A3

(+)-p-Mentha-1,8-dien - CAS: 5989-27-5

Québec - LTE mg/m<sup>3</sup>(8h): 110 - LTE ppm: 20

Aromatic hydrocarbon - CAS: 64742-94-5

OEL - LTE mg/m<sup>3</sup>(8h): 100 - LTE ppm: 17 - Behaviour: Binding

Naphthalene - CAS: 91-20-3

OEL - LTE mg/m<sup>3</sup>(8h): 50 - LTE ppm: 10 - STE mg/m<sup>3</sup>(15min): 78.64 - STE ppm: 15 - Behaviour: Binding - Notes: Skin, A4 - Critical effects: Ocular damage, respiratory irritation, blood

ACGIH - LTE mg/m<sup>3</sup>(8h): 52 - LTE ppm: 10 - STE mg/m<sup>3</sup>(15min): 79 - STE ppm: 15 - Behaviour: Binding - Notes: Skin, A4

DNEL Exposure Limit Values

Benzyl alcohol - CAS: 100-51-6

Worker Professional: 47 mg/kg - Consumer: 28.5 - U.M.: mg/kg - Exposure: Human Dermal - Frequency: Short Term, systemic effects

Worker Professional: 450 mg/m<sup>3</sup> - Consumer: 95.5 - U.M.: mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Short Term, systemic effects

# Safety Data Sheet

## ACC 1140

Worker Professional: 9.5 mg/kg - Consumer: 5.7 - U.M.: mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects  
 Worker Professional: 90 mg/m3 - Consumer: 19.1 - U.M.: mg/kg - Exposure: Human Inhalation - Frequency: Long Term, systemic effects  
 Consumer: 25 - U.M.: mg/kg - Exposure: Human Oral - Frequency: Short Term, systemic effects  
 Consumer: 5 - U.M.: mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects  
 Hydrogen peroxide - CAS: 7722-84-1  
 Worker Professional: 3 mg/m3 - Consumer: 1.93 - U.M.: mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, local effects  
 Worker Professional: 1.4 mg/m3 - Consumer: 0.21 - U.M.: mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, local effects  
 Sodium nitrate - CAS: 7631-99-4  
 Worker Professional: 36.7 mg/m3 - Consumer: 10.9 - U.M.: mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects  
 Worker Professional: 20.8 mg/kg - Consumer: 12.5 - U.M.: mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects  
 Consumer: 12.5 - U.M.: mg/kg - Exposure: Human Oral - Frequency: Short Term, systemic effects  
 Aromatic hydrocarbon - CAS: 64742-94-5  
 Consumer: 7.5 - U.M.: mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects  
 Worker Professional: 12.5 mg/kg - Consumer: 7.5 - U.M.: mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects  
 Worker Professional: 150 mg/m3 - Consumer: 32 - U.M.: mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

### PNEC Exposure Limit Values

Benzyl alcohol - CAS: 100-51-6  
 Target: Soil - Value: 0.456 mg/kg  
 Target: Sewerage treatment plants - Value: 39 mg/l  
 Target: Freshwater sediments - Value: 5.27 mg/kg  
 Target: Marine water sediments - Value: 0.527 mg/kg  
 Target: Marine water - Value: 0.1 mg/l

Hydrogen peroxide - CAS: 7722-84-1  
 Target: Freshwater sediments - Value: 0.047 mg/kg  
 Target: Marine water sediments - Value: 0.047 mg/kg  
 Target: Soil (agricultural) - Value: 0.0023 mg/kg  
 Target: Fresh Water - Value: 0.0126 mg/l  
 Target: Marine water - Value: 0.0126 mg/l  
 Target: Occasional issue - Value: 0.0138 mg/l

Sodium nitrate - CAS: 7631-99-4  
 Target: Fresh Water - Value: 0.45 mg/l  
 Target: Marine water - Value: 0.045 mg/l  
 Target: Occasional issue - Value: 4.5 mg/l  
 Target: Sewerage treatment plants - Value: 18 mg/l

### 8.2. Exposure controls

#### Eye protection:

Use close fitting safety goggles, don't use eye lens.

#### Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

#### Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

#### Respiratory protection:

Use adequate protective respiratory equipment.

#### Thermal Hazards:

None

#### Environmental exposure controls:

None

#### Appropriate engineering controls:

None

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Viscous green liquid	--	--
Odour:	Pungent	--	--
Odour threshold:	n.av. mg/m3	--	--
pH:	4.5 - 6.5	--	--
Melting point / freezing point:	n.av. °C	--	--
Initial boiling point and boiling range:	Initial 100 °C	--	--
Flash point:	None till boiling	--	--

# Safety Data Sheet

## ACC 1140

	°C		
Evaporation rate:	n.av.	--	--
Solid/gas flammability:	na	--	--
Upper/lower flammability or explosive limits:	n.av. % v/v	--	--
Vapour pressure:	n.av. kPa	--	--
Vapour density (air=1):	> 1	--	--
Relative density:	1.04 g/ml	--	--
Solubility in water:	Partial	--	--
Solubility in oil:	n.av.	--	--
Partition coefficient (n-octanol/water):	n.av.	--	--
Auto-ignition temperature:	None °C	--	--
Decomposition temperature:	n.av. °C	--	--
Viscosity:	10000 - 20 mPa.s	--	--
Explosive properties:	Not explosive	--	--
Oxidizing properties:	n.av.	--	--

### 9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	n.av.	--	--
Fat Solubility:	n.av.	--	--
Conductivity:	n.av.	--	--
Substance Groups relevant properties:	n.av.	--	--

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions

### 10.2. Chemical stability

Stable under normal conditions

### 10.3. Possibility of hazardous reactions

It may generate flammable gases on contact with elementary metals (alkalis and alkaline earth), nitrides, and powerful reducing agents.

It may catch fire on contact with oxidising mineral acids, elementary metals (alkalis and alkaline earth), nitrides, organic peroxides and hydroperoxides, oxidising agents, and reducing agents.

### 10.4. Conditions to avoid

Stable under normal conditions.

### 10.5. Incompatible materials

None in particular.

### 10.6. Hazardous decomposition products

None.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Toxicological information of the product:

Not applicable

Toxicological information of the main substances found in the mixture:

Benzyl alcohol - CAS: 100-51-6

Type: a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat - Op.: = - Value: 1230 - U.M.: mg/kg

Test: LD50 - Route: Skin - Species: Rabbit - Op.: = - Value: 2000 - U.M.: mg/kg

Test: LC50 - Route: Inhalation - Species: Rat - Op.: = - Value: 1000 - U.M.: Ppm - Duration: 8 hours

Test: LC50 - Route: Inhalation - Species: Rat - Op.: > - Value: 4178 - U.M.: mg/l - Duration: 4 hours

Hydrogen peroxide - CAS: 7722-84-1

Type: a) acute toxicity:

Test: LD50 - Route: Oral - Species: male rat - Op.: = - Value: 1026 - U.M.: mg/kg

Test: LC50 - Route: Inhalation - Species: Rat - Op.: > - Value: 0.17 - U.M.: mg/l - Duration: 4 hours

Test: LD50 - Route: Skin - Species: Rabbit - Op.: > - Value: 2000 - U.M.: mg/kg

Test: LD50 - Route: Oral - Species: female rat - Op.: = - Value: 693.7 - U.M.: mg/kg

Type: b) skin corrosion/irritation:

Test: Skin Irritant - Route: Skin - Species: Rabbit - Op.: Positive

Type: c) serious eye damage/irritation:

Test: Eye Irritant - Route: EYES - Species: Rabbit - Op.: Positive

1,4-Bis(2-hydroxyethoxy)-2-butyne - CAS: 1606-85-5

Type: a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat - Op.: = - Value: 1600 - U.M.: mg/kg

Test: LD50 - Route: Skin - Species: Rabbit - Op.: > - Value: 2000 - U.M.: mg/kg

(+)-p-Mentha-1,8-dien - CAS: 5989-27-5

Type: a) acute toxicity:

# Safety Data Sheet

## ACC 1140

Test: LD50 - Route: Oral - Species: Rat - Op.: = - Value: 4400 - U.M.: mg/kg  
Test: LD50 - Route: Oral - Species: Mouse - Op.: > - Value: 5500 - U.M.: mg/kg  
Test: LD50 - Route: Skin - Species: Rabbit - Op.: > - Value: 2000 - U.M.: mg/kg  
2-methylbut-3-yn-2-ol - CAS: 107-54-0  
Type: a) acute toxicity:  
Test: LD50 - Route: Oral - Species: Rat - Op.: > - Value: 300 - U.M.: mg/kg  
Test: LD50 - Route: Skin - Species: Rabbit - Op.: > - Value: 1000 - U.M.: mg/kg  
Test: LC50 - Route: Inhalation - Species: Rat - Op.: > - Value: 20 - U.M.: mg/l - Duration: 1 hour  
Type: b) skin corrosion/irritation:  
Test: Eye Irritant - Route: EYES - Op.: Positive  
Type: d) respiratory or skin sensitisation:  
Test: Respiratory Tract Irritant - Route: Inhalation - Op.: Positive  
Sodium nitrate - CAS: 7631-99-4  
Type: a) acute toxicity:  
Test: LD50 - Route: Oral - Species: Rat - Op.: = - Value: 3430 - U.M.: mg/kg  
Test: LD50 - Route: Skin - Species: Rat - Op.: > - Value: 5000 - U.M.: mg/kg - Notes: OECD 402  
1-(2-hydroxyethyl)-2-alkyl-2-imidazoline - CAS: 61791-39-7  
Type: a) acute toxicity:  
Test: LD50 - Route: Oral - Species: male rat - Op.: = - Value: 947 - U.M.: mg/kg  
Type: b) skin corrosion/irritation:  
Test: Skin Corrosive - Route: Skin - Op.: Positive  
Type: c) serious eye damage/irritation:  
Test: Eye Corrosive - Route: EYES - Op.: Positive  
Aromatic hydrocarbon - CAS: 64742-94-5  
Type: a) acute toxicity:  
Test: LD50 - Route: Oral - Species: Rat - Op.: > - Value: 5000 - U.M.: mg/kg - Notes: Ingestion of even small amounts can cause pneumonia or edema  
Test: LD50 - Route: Skin - Species: Rabbit - Op.: > - Value: 2000 - U.M.: mg/kg - Notes: Degreasing effect, irritation  
Test: LC50 - Route: Inhalation - Species: Rat - Op.: > - Value: 4688 - U.M.: mg/m3  
Naphthalene - CAS: 91-20-3  
Type: a) acute toxicity:  
Test: LD50 - Route: Oral - Species: Rat - Op.: > - Value: 2000 - U.M.: mg/kg  
Test: LD50 - Route: Skin - Species: Rat - Op.: > - Value: 2500 - U.M.: mg/kg  
Test: LC50 - Route: Inhalation - Species: Rat - Op.: > - Value: 0.4 - U.M.: mg/l - Duration: 4 hours

If not differently specified, the information required in Regulation 2015/830/EC listed below must be considered as N.AV.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Based on the information available it is not expected that this product may cause any adverse environmental effect when use instructions and disposal recommendations are followed.

Adopt good working practices, so that the product is not released into the environment.

List of substances hazardous to the environment and eco-toxicological information available:

Benzyl alcohol - CAS: 100-51-6

a) Aquatic acute toxicity:

LC50 Fish = 10 mg/l 96 *Lepomis Macrochirus*  
LC50 Fish = 770 mg/l 1 *Pimephales promelas*  
EC50 Daphnia = 230 mg/l 48 *Daphnia Magna*  
EC50 Daphnia = 55 mg/l 24 *Daphnia Magna*  
EC50 Algae = 770 mg/l 72 *Pseudokirchneriella subcapitata*  
EC50 Bacteria = 390 mg/l 24

Hydrogen peroxide - CAS: 7722-84-1

a) Aquatic acute toxicity:

EC50 Daphnia = 2.4 mg/l 48 *Daphnia pulex*  
LC50 Fish = 16.4 mg/l 96 *Pimephales promelas*  
EC50 Algae = 1.38 mg/l 72 *Skeletonema costatum*  
LC50 Fish = 37.4 mg/l 96 *Ictalurus punctatus*  
LC50 Fish = 31.3 mg/l 24 *Oncorhynchus mykiss*  
EC50 Daphnia = 2.4 mg/l 48 *Daphnia magna*  
IC50 Algae = 2.5 mg/l 72 *Chlorella vulgaris*  
EC50 Daphnia = 7.7 mg/l 24 *Daphnia magna*  
NOEC Fish = 5 mg/l 96 *Pimephales promelas*



# Safety Data Sheet

## ACC 1140

(+)-p-Mentha-1,8-dien - CAS: 5989-27-5

a) Aquatic acute toxicity:

LC50 Fish = 33 mg/l 96 Pimephales promelas

EC50 Daphnia = 69.6 mg/l 48

Sodium nitrate - CAS: 7631-99-4

a) Aquatic acute toxicity:

LC50 Fish = 7950 mg/l 96 Oncorhynchus mykiss e Oncorhynchus tshawytscha

LC50 Fish = 12000 mg/l 96 Lepomis macrochirus

EC50 Daphnia = 8609 mg/l 24 Daphnia magna

1-(2-hydroxyethyl)-2-alkyl-2-imidazoline - CAS: 61791-39-7

a) Aquatic acute toxicity:

LC50 Fish = 0.63 mg/l 96 Oncorhynchus mykiss

b) Aquatic chronic toxicity:

NOEL = 0.22 mg/l

Aromatic hydrocarbon - CAS: 64742-94-5

a) Aquatic acute toxicity:

LC50 Fish > 2 mg/l 96 Oncorhynchus mykiss

LC50 Fish < 5 mg/l 96 Oncorhynchus mykiss

EC50 Daphnia > 3 mg/l 48 Daphnia magna

EC50 Daphnia < 10 mg/l 48 Daphnia magna

EC50 Algae = 11 mg/l 72 Pseudokirchneriella subcapitata

Naphthalene - CAS: 91-20-3

a) Aquatic acute toxicity:

LC50 Fish = 0.9 mg/l 96 Oncorhynchus gorboscha

EC50 Daphnia = 2.16 mg/l 48 Daphnia magna

IC50 Algae = 2.96 mg/l 72 Selenastrum capricornutum

### 12.2. Persistence and degradability

Benzyl alcohol - CAS: 100-51-6

Biodegradability: Readily biodegradable - Test: Not applicable - Duration: Not applicable - %: Not applicable - Notes: Not applicable

Hydrogen peroxide - CAS: 7722-84-1

Biodegradability: Readily biodegradable - Test: Not applicable - Duration: Not applicable - %: Not applicable - Notes: Not applicable

2-methylbut-3-yn-2-ol - CAS: 107-54-0

Biodegradability: Readily biodegradable - Test: Not applicable - Duration: Not applicable - %: Not applicable - Notes: Not applicable

1-(2-hydroxyethyl)-2-alkyl-2-imidazoline - CAS: 61791-39-7

Biodegradability: Not applicable Test: OCSE 301 B: Evolution of CO<sub>2</sub>, Modified Sturm. - Duration: 28 days - %: 6 - Notes: Not applicable

Aromatic hydrocarbon - CAS: 64742-94-5

Biodegradability: Readily biodegradable - Test: Not applicable - Duration: 28 days - %: 58 - Notes: Not applicable

### 12.3. Bioaccumulative potential

Hydrogen peroxide - CAS: 7722-84-1

Bioaccumulation: Not bioaccumulative - Test: Not applicable Not applicable - Duration: Not applicable - Notes: Not applicable

2-methylbut-3-yn-2-ol - CAS: 107-54-0

Bioaccumulation: Not bioaccumulative - Test: Not applicable Not applicable - Duration: Not applicable - Notes: Not applicable

Sodium nitrate - CAS: 7631-99-4

Bioaccumulation: Not bioaccumulative - Test: Not applicable Not applicable - Duration: Not applicable - Notes: Not applicable

### 12.4. Mobility in soil

Sodium nitrate - CAS: 7631-99-4

Mobility in soil: Not mobile - Test: Not applicable Not applicable - Duration: Not applicable - Notes: Not applicable

Naphthalene - CAS: 91-20-3

Mobility in soil: Mobile - Test: Not applicable Not applicable - Duration: Not applicable - Notes: Not applicable

### 12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

### 12.6. Other adverse effects

None

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product and its residue:

Do not dispose in the canals of wastewater, waterways and soil.

The codes indicating the type of waste are considered based on the recommendations and scheduled use of this product. Different codes may be assigned based on the end user's use and the characteristics of the disposal.

Waste code CER/EWC (2000/532/CE), attributable to the product as:

08 01 21 \* - Waste paint or varnish remover

HP4 - HP6 - HP13 - HP14

Any remaining product should be disposed of with the material.

Containers/contaminated packaging



# Safety Data Sheet

## ACC 1140

Containers, even completely empty, must not be disposed in the environment. The packigings which can not be cleaned should be disposed of as the material.  
Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

### 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

14.1 UN number:

Not applicable

14.2 UN proper shipping name:

Not applicable

14.3 Transport hazard class(es):

Not applicable

14.4 Packing Group:

Not applicable

14.5 Environmental hazards

ADR-Enviromental Pollutant: No

IMDG-Marine pollutant: No

14.6 Special Precautions for User

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Non previsto

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

1999/13/EC (VOC directive)

Volatile Organic compounds - VOCs = 63.76 %

Volatile Organic compounds - VOCs = 663.05 g/l

Volatile CMR substances = 0.00 %

Halogenated VOCs which are assigned the risk phrase R40 = 0.30 %

Organic Carbon - C = 0.48

15.2. Chemical safety assessment

Not available

### SECTION 16: Other information

Full text of phrases referred to in Section 3:

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H271 May cause fire or explosion; strong oxidiser.

H314 Causes severe skin burns and eye damage.

H304 May be fatal if swallowed and enters airways.

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H312 Harmful in contact with skin.

H272 May intensify fire; oxidiser.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

H351 Suspected of causing cancer.

Paragraphs modified from the previous revision:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

SECTION 2: Hazards identification

SECTION 3: Composition/information on ingredients

SECTION 6: Accidental release measures

SECTION 8: Exposure controls/personal protection

SECTION 9: Physical and chemical properties

SECTION 11: Toxicological information

SECTION 12: Ecological information

SECTION 13: Disposal considerations

14. TRANSPORT INFORMATION

SECTION 15: Regulatory information

This document was prepared by a competent person who has received appropriate training.

This MSDS cancels and replaces any preceding release.

Where applicable, refer to the following regulatory provisions :

# Safety Data Sheet

## ACC 1140

Council Directive 67/548/EEC (Classification, packaging and labelling of dangerous substances) and subsequent amendments; Regulation (EC) n°1272/2008; Regulation (EC) N. 790/2009 (annex VI), Regulation (EC) n. 1907/2006 (REACH).  
Commission Directive 1999/45/EC (Classification, packaging and labelling of dangerous preparation) and subsequent amendments; Commission Directive n. 2006/8/CE.  
Directive 2003/105/EC ('Activities linked to risks of serious accidents') and subsequent amendments.  
Directive 2013/10/EU (aerosols) amending Directive 75/324/EEC on the approximation of the laws of the Member States relating to aerosol dispensers in order to adapt its labelling provisions to Regulation (EC) n° 1272/2008 on classification, labelling and packaging of substances and mixtures and subsequent amendments.  
Regulation (EC) No 1223/2009 on cosmetic products and subsequent amendments.  
Regulation (EU) No 126/2013 amending Annex XVII to Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) and subsequent amendments. Regulation (EC) N. 304/2003 and subsequent amendments. Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products and subsequent amendments.  
EU Regulation 1357/2014 (Disposal of waste ) and subsequent amendments.  
The European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), current edition.  
Regulations IATA/ICAO = Dangerous Goods Regulations by air, current edition.  
RID = Regulations concerning the International Carriage of Dangerous Goods by Rail, current edition.  
IMDG Code = International Maritime Dangerous Goods Code produced by the International Maritime Organization (IMO), current edition.

#### Main bibliographic sources:

The ISS National Inventory of Chemical Substances (INSC)  
ESIS: European chemical Substances Information System and Environmental hazard classification.  
Occupational exposure limit values (Commission Directives 2000/39/EC and 2006/15/CE)  
ACGIH - TLV's for 2010  
NIOSH - Registry of toxic effects of chemical substances (1983)  
Material Safety Data Sheets of chemicals, REACH database  
Material Safety Data Sheet and Technical Data of raw material as by Supplier.

#### Abbreviations and acronyms:

TLV-TWA = Threshold Limit Value- time-weighted average, 8-hour workday, 40-hour workweek; TLV-STEL-15 min = Threshold Limit Values - Short Term Exposure Limit; TLV-C = Ceiling exposure limit; Notes: IBE= Biological Exposure Indices; SEN= sensitizer; Skin= Can be absorbed through the skin. Carcinogenicity categories: A1 / A2 = confirmed / suspected human carcinogen; A3 = Animal carcinogen; A4 / A5 = Not Classifiable/not suspected as a human carcinogen. ACGIH = American Conference on Governmental Industrial Hygienists. OEL =Occupational Exposure Limit. VLPE = Occupational Exposure Limit Values. LTE =long term exposure, STE=short term exposure.  
n.av.= Not Available, n.a. = not applicable; LD50=lethal dose (solids and liquids), LC50=lethal concentration (gases) that will kill 50% of the test animals; ADR= European Agreement concerning the International Carriage of Dangerous Goods by Road.  
Regulations IATA/ICAO = Dangerous Goods Regulations by air, current edition.  
RID = Regulations concerning the International Carriage of Dangerous Goods by Rail, current edition. IMDG Code = International Maritime Dangerous Goods Code produced by the International Maritime Organization (IMO), current edition.  
PBT = Persistent, Bioaccumulative and Toxic substances. ; vPvB = very Persistent and very Bioaccumulative substances; CMR = Carcinogenic, mutagenic or reproduction toxic substances.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.